

# PRODUCT CATALOG

Updated 2.27.24

# REPLACEMENT HYDRAULIC CYLINDERS & COMPONENTS





### TABLE OF CONTENTS

### **Industry Breakdown**

### PAGE 4

### **SCRAP GRAPPLE PARTS**

### **5** Aftermarket Young<sup>®</sup> Grapple Parts

- Models LO100B/C, LO125B/C, LO150B/C, LO200B/C, LO250B/C
- Models LO300C, LO400C, LO205C
- Models LO100D through LO250D
- Models 1114B, L075B-L095B & L075C-L095C
- Models LO-50D, LO75D, LO-95D, LO5-90D
- Universal Replacement Parts for Young<sup>®</sup>

### **11** Aftermarket Liebherr<sup>®</sup> Grapple Parts

- Series 64 & 65
- Series 69 & 70
- Series 80
- Universal Replacement Parts

### **16** Aftermarket Bateman<sup>®</sup> Grapple Parts

- 200 Series Grapples: P/N B4T2-125, B4T2-150, B4T2-200, B4T2-300, B5T2- 100, B5T2-125, B5T2-150, B5T2-200, B5T2-300
- 150 Series Grapples: P/N B4T150-050, B4T150-075, B4T150-100, B4T150- 125, B4T150-150, B5T15-075, B5T15-100, B5T15-125
- Universal Replacement Parts

### **17** Aftermarket Fuchs<sup>®</sup> Grapple Parts

- Model HDMS 0,4 | 0,6 | 0,8 Grapples
- Universal Replacement parts.

### 20 Aftermarket CAT<sup>®</sup> Parts

- Grapples: GSH15B, GSH20B & GSH22
- CAT O-ring kits

### PAGE 21 CONSTRUCTION MACHINERY

### 22 Aftermarket Bobcat® Cylinders

 Skid Steers / Track Loader / Mini Excavator Wheel Loader / Grapple & Attachment Cylinders

### 28 Aftermarket Kubota® Cylinders

Skid Steers / Track Loader / Mini Excavator

### **29** Aftermarket CAT<sup>®</sup> Parts

Skid Steers / Track Loader

### **30** Aftermarket Takeuchi Cylinders

- Hitch & Thum Cylinders
- Bucket Cylinders

### 32 Aftermarket Case<sup>®</sup> Cylinders

### **PAGE 33**

### **AGRICULTURE MACHINERY**

- 34 Aftermarket John Deere® Cylinders
- 34 Aftermarket Case IH<sup>®</sup> Cylinders

### **PAGE 35**

### **ROLL OFF CONTAINER PARTS**

- **36** Aftermarket Galbreth<sup>®</sup> Cylinders
- **36** Aftermarket Pioneer<sup>®</sup> Cylinders

# SCRAP GRAPPLE PARTS

## REPLACEMENT YOUNG<sup>®</sup> GRAPPLES

### Models LO100B/C, LO125B/C, LO150B/C, LO200B/C, LO250B/C



BMF-15W359 Grapple Cylinder High strength and rugged cylinder is rated at 5000psi. 4" bore x 12.5" stroke and a 2.5" diameter rod. Replacement for YOU-15W359/ Nordic 1236. Replacement grapple cylinder for a Young<sup>®</sup> grapple models LMG100C, LO100B/C, LO125B/C, LO150B/C, LO200B/C, LO250B/C.

BMF-587V512 Grapple Cylinder Seal



Contains all the seals required for a YOU-15W359 cylinder rebuild, less BMF-2189P20023 Rod Wiper. Replacement for YOU-587V512.

### BMF-534V368 Cylinder Bushing ID 2"

Cylinder Bushing ID 2" OD 2.5" L:2" (55-60 HRC)



Hardened 2" dia steel bushing for cylinder rod eye and barrel eye. A YOU-15W359 cylinder requires four bushings for upper and lower connection. Replacement for YOU-534V368.

BMF-365W391 Lower Cylinder Pin



2" Hardened steel lower cylinder pin with welded locking tab. Lower cylinder pin that connects 15W359 cylinder to the tine. Fits BMF-534V368 cylinder bushing. Aftermarket replacement for YOU-365W391.

BMF-D-23807 Replacement 15W359 Cylinder Rod & Shield

Replacement Young<sup>®</sup> grapple cylinder rod with weld on shield. Used on cylinder P/N YOU-15W359.



BMF-C-22496

Replacement 15W359 Piston



Replacement Young<sup>®</sup> grapple cylinder piston. Used on cylinder P/N YOU-15W359. BMF-395W409 Upper Cylinder Pin



2" Hardened steel upper cylinder pin. Upper cylinder pin that connects 15W359 cylinder to the tine. Fits BMF-534V368 cylinder bushing. Aftermarket replacement for YOU-395W409.

BMF-D-23804 Replacement 15W359 Cylinder Barrel Replacement Young<sup>®</sup> grapple cylinder barrel. Used on cylinder P/N YOU-15W359.



BMF-C-23821 Replacement 15W359 Gland



Replacement Young<sup>®</sup> grapple cylinder head gland. Used on cylinder P/N YOU-15W359.



### REPLACEMENT YOUNG® GRAPPLES

### Models LO300C, LO400C, LO205C



#### BMF-15W441 Grapple Cylinder 3"x5"x17"

High strength and rugged cylinder is rated at 5000psi. 5" bore x 17" stroke and a 3" diameter rod. Aftermarket replacement for YOU-15W441. Replacement grapple cylinder for a Young<sup>®</sup>, LO300C, LO400C, LO205C grapple.



### **REPLACEMENT YOUNG® GRAPPLES**

### Models LO100D through LO250D



**BMF-15W503** Grapple Cylinder 2.5"x3.5"x13.5"

High strength and rugged cylinder is rated at 5000psi. 3.5" bore x 13.5" stroke and a 2.5" diameter rod. Aftermarket replacement for YOU-15W503. Replacement grapple cylinder for a Young®, LO-100D through LO-250D, MODEL W503 grapple.

### **BMF-587V888**

Seal Kit

Contains all the seals required for a YOU-15W503 cylinder rebuild, less BMF-2189P20023 Rod Wiper. Replacement for YOU-587V888.



### BMF-534V557

#### Aftermarket Young® **Cylinder Bushing**

Hardened 2" dia steel bushing for cylinder rod eye and barrel eye. A YOU-15W503 cylinder requires four bushings for upper and lower connection. Replacement for YOU-534V557.

### **BMF-587V955**

### **Rotary Union Seal Kit**

Seals for a YOU-28W2244 (D SERIES) rotary union. Includes: (2) Wear Rings, 3 3/4" O.D. x3/4", (2) molded O-ring's, (1) Double acting seal, (2) Single acting seals. Replacement for YOU- 587V955.

### **BMF-629Y66**

**Replacement 15W503 Cylinder Rod & Shield** 

cylinder rod with weld on

Replacement Young<sup>®</sup> grapple

shield. Used on cylinder P/N



### **BMF-210W80**

YOU 15W503.

**Replacement 15W503 Piston** 

Replacement Young<sup>®</sup> grapple cylinder piston. Used on cylinder P/N YOU-15W503.



### **BMF-365W422**

"D" Style Upper Cylinder Pin

2" Hardened steel upper cylinder pin. Upper cylinder pin that



connects 15W503 cylinder to the tine. Fits BMF-534V557 cylinder bushing. Aftermarket replacement for YOU-365W422.

### **BMF-365W423**

"D" Style Lower Cylinder Pin

2" Hardened steel lower cylinder pin. Lower cylinder pin that connects 15W503 cylinder to the



tine. Fits BMF-534V557 cylinder bushing. Aftermarket replacement for YOU-365W423.

### **BMF-208W354**

"D" Style Grapple Leg Pin

3" hardened steel grapple leg (tine) pin. Fits BMF-534W315 grapple leg pin bushing. Aftermarket replacement for YOU-208W354.



### **BMF-626Y78**

Replacement 15W503 Cylinder Barrel

Replacement Young® arapple cylinder barrel. Used on cylinder P/N YOU-15W503.

### **BMF-102W28**

#### Replacement 15W503 Gland

Replacement Young<sup>®</sup> grapple cylinder head gland. Used on cylinder P/N YOU-15W503.





### REPLACEMENT YOUNG® GRAPPLES

### Models 1114B, LO75B-LO95B & LO75C-LO95C



BMF-15W235B

Grapple Cylinder 2"x3.5"x10"

High strength and rugged cylinder is rated at 5000psi. 3.5" bore x 10" stroke and a 2" diameter rod. Aftermarket replacement for YOU-15W235B. Replacement grapple cylinder for a Young<sup>®</sup>, 1114B, LO75B-LO95B & LO75C-LO95C grapple.



BMF-587V397 Seal Kit Contains all the seals required for a YOU-15W235B cylinder rebuild, less the BMF-387V42 Rod wiper. Aftermarket replacement for YOU-587V397.

### Models LO-50D, LO75D, LO-95D, LO5-90D



### **BMF-15W505**

### Aftermarket Young® Grapple Cylinder 2.5x4x12.5"

High strength and rugged cylinder is rated at 5000psi. 3.25" bore x 10.5" stroke and a 2.25" diameter rod. Aftermarket replacement for YOU®15W505. Replacement grapple cylinder for a Young® LO-50D, LO-75D, LO-95D & LO5-90D grapple.

### BMF-587V1012

#### Aftermarket Young® 15W505 "D Series" Seal Kit

Contains all the seals required for a YOU-15W505 cylinder rebuild, less the (x4) BMF-2189P20023 pin wipers. Aftermarket replacement for YOU-587V1012.

### UNIVERSAL YOUNG® PARTS

### Universal Replacement Parts for Young®

### BMF-587V735

**Rotary Union Seal Kit** 



BMF-587V517

Rotary Union Seal Kit



Seals for a YOU-28W2177 (C SERIES) rotary union. Includes: (2) split 45° guide band, (2) molded O-ring's, (1) 4pc compact rod seal, (2) compact rod seal. Replacement for YOU-587V735. Does not include bronze thrust washers

Seals for a YOU-28W1777 (B SERIES) rotary union. Includes: (3) Rod seals, (2) guide bands, (2) o-rings and (4) back up o-rings. Aftermarket replacement for YOU-587V517. Does not include bronze thrust washers.

### BMF-2189P20023

2" Pin Eye Wiper

Wiper seal for 2" dia cylinder rod. A cylinder requires four rod wiper seals.Replacement for YOU-2189P20023. Used on both C & D series grapples.

### BMF-208W301

**Grapple Leg Pin** 

3" hardened steel grapple leg (tine) pin. Fits BMF-534W369 grapple leg pin bushing. Aftermarket replacement for YOU-208W301.

# 

#### BMF-477V92

Rotary Union Thrust Washer (Used with rotary union seal kit BMF-587V735)



Bronze thrust washer, 4.2" x 3.5"x 0.2". Replacement for a YOU-477V92. Used on both C & D series grapple rotary unions. Can be used with both BMF-587V955 and BMF -587V735

### BMF-477V67

Rotary Union Thrust Washer (Used with rotary union seal kit BMF-587V717)



Bronze thrust washer, 4.2" x 3.5"x 0.2". Used with the BMF-587V517 rotary seal union kit. Aftermarket replacement part for YOU-477V67.

### BMF-534W369

**Grapple Leg Bushing** Hardened 3" ID steel bushing for grapple tine. Aftermarket replacement for YOU-534W369. Fits BMF-208W301 grapple leg pin.



### BMF-534V315

Aftermarket Young® Tine Bushing

Hardened 3" ID steel bushing for grapple tine. Aftermarket replacement for YOU-534V315.



### **BMF-618V19**

Replacement Hydraulic Motor for Young® LOB and LOC Grapple Heads

Medium duty hydraulic motor and break. An excellent value offering long lasting performance at a competitive price point. Replacement for a YOU-618V19 / LBG100-78. Used on both C & D series grapples.





### REPLACEMENT YOUNG® TINE TIPS

### Young<sup>®</sup> Grapple Tine Tips

#### **BMF-310X74**

Tine Tip

Cast steel weld on tine tip. Hardened, wear resistant steel for maximum wear life. Used on Young<sup>®</sup> grapple NO5-505. Aftermarket replacement for YOU-310X74.



### **BMF-310X69**

#### **Tine Tip**

Cast steel weld on tine tip. Hardened, wear resistant steel for maximum wear life. Aftermarket replacement for YOU-310X69.



### **BMF-211W57**

#### Tine Tip

Cast steel weld on tine tip. Hardened, wear resistant steel for maximum wear life. Aftermarket replacement for YOU-211W57. Fits LO100D, LO125D, LO-150D, LO-200D & LO250D grapples.



#### **BMF-211W4**

#### **Tine Tip**

Cast steel weld on tine tip. Hardened, wear resistant steel for maximum wear life. Aftermarket replacement for YOU-211W4. Fits LO300C & LO400C grapples.

### **BMF-211W64**

#### **Tine Tip**

Cast steel weld on tine tip. Hardened, wear resistant steel for maximum wear life. Aftermarket replacement for YOU-211W64. Fits LO50D, LO75D & LO95D grapples.



### **BMF-211W6**

#### **Tine Tip**

Cast steel weld on tine tip. Hardened, wear resistant steel for maximum wear life. For grapples LO100C through LO250C, LO205C. Aftermarket replacement for YOU-211W6.



### **REPLACEMENT LIEBHERR<sup>®</sup> GRAPPLES**

### Series 64 & 65 Aftermarket Replacement Parts



### BMF-9241931

Aftermarket Liebherr® Grapple Cylinder 70x50x215mm

High strength and rugged cylinder is rated at 5000psi. 70mm bore x 215mm stroke and 50mm diameter rod. Spherical bearings on cylinder and rod ends. Aftermarket replacement for Liebherr<sup>®</sup> grapple cylinder 9241931. Fits series 64 & 65 (0.52-0.78 cu vd) grapples.

### BMF-9063462

Barrel- 215mm



Welded and honed barrel, includes (1) 7025750 bearing, (1) 4281012 snap ring and (1) 7743242 grease fitting. Used with cylinder BMF-9241931.

#### BMF-9063463

Chromed rod 215mm



Solid forged chrome rod, includes (1) 7025750 bearing, (2) 4281012 snap rings, (1) 7001228 grease fitting and (1) 4242017 retaining ring. Used with BMF-9241931 cylinder.

Painted cast steel shield

(half shell), used on BMF-

9241931 cylinder. Secured

with BMF-9240002

hardware kit.



**BMF-9200966** Shield Set- 215mm



Replacement cylinder cover set, includes (2) BMF-3201484 shield halves and (1) 9240002 hardware set. Used with BMF-9241931 cylinder.

### Series 69 & 70 Aftermarket Replacement Parts



Aftermarket Liebherr® Grapple Cylinder 70x50x315mm

High strength and rugged cylinder is rated at 5000psi. 70mm bore x 315mm stroke and 50mm diameter rod. Spherical bearings on cylinder and rod ends. Aftermarket replacement for Liebherr® grapple cylinder 9245992. Fits series 69 & 70 (1.05-1.44 cu yd) grapples.

### **BMF-9063666**

Barrel- 315mm



Welded and honed barrel, includes (1) 7025750 bearing, (1) 4281012 snap ring and (1) 7743242 grease fitting. Used with BMF-9245992 cylinder.

### BMF-9063664

Chromed rod 315mm



BMF-9235003 Shield Set- 315mm



BMF-3201549 **Cast Steel Shield 315mm** 



Includes (1) 7025750 bearing, (2) 4281012 snap rings, (1) 7001228 grease fitting and (1) 4242017 retaining ring. Used on BMF-9245992 cylinder.

Replacement cylinder cover set, includes (2) BMF-3201549 shield halves and (1) 9240002 hardware set. Used with BMF-9245992 cylinder.

Painted cast steel shield (half shell), used on BMF-9245992 cylinder. Secured with BMF-9240002 hardware kit.



### Series 80 Aftermarket Replacement Parts



#### BMF-94040349

Aftermarket Liebherr® Grapple Cylinder 80x56x295mm

High strength and rugged cylinder is rated at 5000psi. 80mm bore x 295mm stroke and 56mm diameter rod. Spherical bearings on cylinder and rod ends. Aftermarket replacement for Liebherr® grapple cylinder 94040349. Fits series 80 grapples.



Hardened steel piston. Used on BMF-94040349 cylinder.

Includes (1) 7003242

bearing, (2) snap rings,

and (1) 7001228 grease fitting. Used on BMF-94040349 cylinder.

BMF-94016827 Chromed rod 295mm



**BMF-94016832** Barrel- 295mm



Welded and honed barrel, includes (1) 7003242 bearing, (1) snap ring and (1) 7743242 grease fitting. Used with BMF-94040349 cylinder.

### Universal Replacement Parts for Liebherr®

### BMF-9063464

70mm Piston Seal Kit

70mm piston seal kit for Liebherr® 9241931 and 9245992 cylinders.



### BMF-94016757/94034126

Aftermarket Liebherr® 56mm Rod Seal Kit

56mm rod seal kit for Liebherr<sup>®</sup> 94040349 cylinder.

### BMF-9922518

#### **Replacement Rotary** Union Seal Kit

Includes x3 quad seals, x6 back up rings and x2 o-rings. Used on series 64, 65, 69 & 70 grapples.



**BMF-9155154** 

50mm Rod Seal Kit

50mm rod seal kit for Liebherr® 9241931 and 9245992 cylinders.



**BMF-9062172** Aftermarket Liebherr® 80mm Piston Seal Kit

80mm piston seal kit for Liebherr® 94040349 cylinder.

### BMF-7264643

**Replacement Rectangle Ring Set** 

(x2 rectangle rings per kit)

Set of x2 buna-N rectangle rings.





### REPLACEMENT LIEBHERR® PARTS

### Universal Replacement Parts for Liebherr® cont.

### BMF-9710216


Thrust Washer

Bronze thrust washer used in Liebherr® rotary union.



### BMF-7003242

**Spherical Bearing** 





### BMF-3201712

**Tine Tip** 

Weld on replacement Liebherr<sup>®</sup> Grapple Tine Tip (Shell Point) - Forged, Hardened Steel Alloy. Universal tine tip, used on all Liebherr<sup>®</sup> Grapples.



### BMF-9240002

**Replacement Shield Hardware** 

Includes (6) Grade10.9 bolts and (6) Grade 10 locknuts, zinc plated. Used with BMF-3201484 and BMF-3201549 shields.



BMF-1000544 Straight Grease Nipple

Brass, M10X1 threads.



BMF-7002361 Hydraulic Fitting

Hydraulic male-male steel fitting, GE 16S G1/A1.



### BMF-7025750 Spherical Bearing

Heavy duty spherical bearing. Used on both BMF-9241931 and BMF-9245992 cylinders.



### BMF-9359599

**Replacement Barrel/Rod Bushing** 

Replacement rod/barrel bushing. Alternative for BMF-7025750 rod eye fitting.



### BMF-9242102

70mm Piston

Hardened steel piston. Used on both BMF-9241931 and BMF-9245992 cylinders.



#### BMF-9958886 50/70mm Bod Gland

Used on both BMF-9241931 and BMF-9245992 cylinders.



**BMF-7001228** 45° Grease Nipple

Brass, M10X1 threads.



### BMF-4281012 Locking Rings DIN 47275

lock ring used on Liebherr® rod and barrel spherical bushings





### REPLACEMENT LIEBHERR® PARTS

### Universal Replacement Parts for Liebherr® cont.

#### BMF-4000592

Socket Head Bolt M10x70 (Set)

10 piece bolt set, used with both BMF-9241931 and BMF-9245992 cylinders.



### BMF-9240001

**Replacement Oil Port Fittings** 

Machined steel, 2 pieces.



### BMF-9161350

#### **Upper Ring**

Zinc plated steel spacer used with BMF-9830051 cylinder pin for upper cylinder assembly with grapple.



### BMF-9830051

#### **Cylinder Pin**

Hardened steel pin used to secure cylinder to grapple and tine. Includes x1 washer, x1 castle nut and x1 cotter pin.



### BMF-9166643 Tine Bushing

The Dusning

Bronze tine bushing. x2 used per tine.



### BMF-9233215

Washer

Galvanized steel disc used with tine pin assembly.



BMF-4242017 Snap Ring DIN 7095147

snap ring used to secure Liebherr<sup>®</sup> piston and rod.



### BMF-7000004 Rotary Union Bushing

fiotary officin Bushing

PTFE lined steel bushings used in Liebherr<sup>®</sup> rotary union. x2 needed for complete rotary rebuild.



### BMF-9923177

Lower Ring

Zinc plated steel spacer used with BMF-9830051 cylinder pin for lower cylinder assembly with tine



### BMF-9226818

Tine Pin

Hardened steel pin used to secure tine with grapple assembly.



BMF-9586602 Spacer Bushing

Machined spacer. Used with BMF-9166643.



### BMF-7026352 Valve Manifold

100 Bar anti-shock valve in aluminum housing. Used with hydraulic motor BMF-5009983. Includes x4 mounting bolts and x2 o-rings.



### REPLACEMENT LIEBHERR® PARTS

### Universal Replacement Parts for Liebherr® cont.

### **BMF-5009768**

Motor & Valve Manifold Kit

Rugged, low speed, high torque orbital motor (BMF-5009983) and 100 Bar antishock valve in aluminum housing (BMF-7026352). Includes x4 mounting bolts and x2 o-rings.



### BMF-5009560

Hydraulic Torque Motor

Rugged, low speed, high torque orbital motor. An excellent value offering long lasting performance at a competitive price point. A direct aftermarket replacement for Liebherr<sup>®</sup> 5009560.



### BMF-5009983 Hydraulic Motor

Rugged, low speed, high torque orbital motor. An excellent value offering long lasting performance at a competitive price point. For Liebherr<sup>®</sup> 5009983 or



### BMF-7013116

11694657.

Sealing Ring

Seal ring for main grapple body hose connection



### BMF-4600649

Grapple Fitting with sealing ring

Threaded hose fitting for hydraulic cylinder hose.







### REPLACEMENT BATEMAN® PARTS

### Bateman® 200 Series:

P/N B4T2-125, B4T2-150, B4T2-200, B4T2-300, B5T2-100, B5T2-125, B5T2-150, B5T2-200, B5T2-300



Aftermarket Bateman® Grapple Cylinder 3.5x2.5-14.56"

Cylinder p/n BN1514 (former p/n LD7966), 3.5" bore , 2.5" rod, 14.56" stroke, Used on 200 series Bateman Grapples.

### BMF-BN1514SK

Aftermarket Bateman® 1514 Cylinder Seal Kit

Full replacement rod & piston seal kit for Cylinder p/n BN1514



Aftermarket Bateman® 1514 Cylinder Guard

3.5" Steel cylinder guard attachment for 200 series grapple cylinder (BMF-BN15



### Bateman® 150 Series:

P/N B4T15-050, B4T15-075, B4T15-100, B4T15-125, B4T15-150, B5T15-075, B5T15-100, B5T15-125

### **BMF-BN1534**

Aftermarket Bateman® Grapple Cylinder 3x2-12.125" K

Cylinder p/n BN1534 (former p/n LD7942), 3" bore, 2" rod, 12-1/8" stroke, Used on 150 series Bateman Grapples

### BMF-BN1534SK

Aftermarket Bateman® 1534 Cylinder Seal Kit

Full replacement rod & piston seal kit for Cylinder p/n BN1534

### **BMF-LD6482**

Aftermarket Bateman® 1534 Cylinder Guard

3.0" Steel cylinder guard attachment for 100 & 150 series grapple cylinder (BMF-BN1534)



### Universal Replacement Parts for Bateman® Grapples

### **BMF-BN1900**

Aftermarket Bateman® Tine Bushing BN1900

Hardened steel tine bushing used on 200 series grapple tine to main body pivot joint

### BMF-BN1514-5

Aftermarket Bateman® Cyl Bushing BN1514-5

Hardened steel tine bushing used on 100 & 150 series grapple cylinder to tine connection





### BMF-BN1901

Aftermarket Bateman® Tine Bushing BN1901


Hardened steel tine bushing used on 100 & 150 series grapple tine to main body pivot joint

### BMF-BN1514-6

Aftermarket Bateman® Cyl Bushing BN1514-6

Hardened steel tine bushing used on 200 series grapple cylinder to tine connection





### REPLACEMENT FUCHS<sup>®</sup> PARTS

### Model HDMS 0,4 | 0,6 | 0,8 Grapples

### BMF-6502147100

Aftermarket Fuchs® Grapple Cyl 70x50-335mm High strength and rugged cylinder is rated at 5000psi. 70mm bore x 335mm stroke and 50mm diameter rod. Spherical bearings on cylinder and rod ends. Aftermarket replacement for Fuchs® grapple cylinder 6502147100 & 5362670010. Used on Fuchs® HDMS 0,4 / 0,6 / 0,8 grapples\*. Includes protective steel shield. \*Some 0,8 grapples may be equipped with an alternative 5577661352 cylinder. Users must check cylinders installed on grapple and use matching part number.

### BMF-0502147035

Aftermarket Fuchs® Grapple Cylinder Cover (Protection Tube)

Used with BMF-1007030744 tine bolt. Aftermarket replacement for 1212341016. Used on HDMS 0,4 / 0,6 / 0,8 grapples.

### BMF-6502147003

Aftermarket Fuchs® Grapple Cylinder Barrel Assembly

Replacement Fuchs® grapple cylinder barrel. Used on cylinder P/N 6502147100/5362670010.

### BMF-0502147111

Aftermarket Fuchs® Grapple Cylinder Rod Assembly

Replacement Fuchs® grapple cylinder barrel. Used on cylinder P/N 6502147100/5362670010.

### BMF-1976999322

Aftermarket Fuchs® Grapple Cylinder Seal Kit

Contains all the seals required for a 6502147100 or 5362670010 cylinder rebuild. Aftermarket replacement for 1976999322.

### BMF-0502147017

Aftermarket Fuchs® Gland Replacement steel gland. Used on cylinder BMF-6502147100.

### BMF-1456622360

Aftermarket Fuchs® C-clip Replacement c-clip used to

secure spherical bearing on cylinder BMF-6502147100.





### BMF-1008341124

Aftermarket Fuchs® Gland Bolt

Single replacement gland bolt. Used on cylinder BMF-6502147100.

### BMF-1018317030

Aftermarket Fuchs® Cover Bolt

Single replacement bolt used on protective shield of cylinder BMF-6502147100.

### BMF-0502106015

Aftermarket Fuchs® Piston Replacement steel piston. Used on cylinder BMF-6502147100.



### BMF-0502079025

Aftermarket Fuchs® Bushing

Single replacement bushing used on protective shield of cylinder BMF-6502147100. Used with BMF-1018317030.



### BMF-1607010008

#### Aftermarket Fuchs® Tine zerk

Replacement grease nipple used on tine and cylinder. Aftermarket replacement for 1607010008. Used on HDMS 0,4 / 0,6 / 0,8 grapples.



### BMF-1950000438

Aftermarket Fuchs® Grapple Cylinder 40/68 Spherical Bearing Heavy duty spherical bearing. Used

on BMF-6502147100 cylinder.







### REPLACEMENT FUCHS® PARTS

### Universal Replacement Parts for Fuchs® cont.

### BMF-0050006011

Aftermarket Fuchs® Tine Pin (Double Bolt Version)

Hardened steel tine pin (Double Bolt Version). Used with BMF-0050006012 & BMF-1007030042. Aftermarket replacement for 0050006011. Used on HDMS 0,4 / 0,6 / 0,8 grapples.



### BMF-0050006012

Aftermarket Fuchs® Tine Pin Cover (Double Bolt Version)

Steel cover used with BMF-0050006011. Aftermarket replacement for 0050006012. Used on HDMS 0,4 / 0,6 / 0,8 grapples.



Aftermarket Fuchs® Tine Bolt (short version)

Bolt used to secure BMF-0050006011 tine pin. Two bolts used per pin. Aftermarket replacement for 1007030042. Used on HDMS 0,4 / 0,6 / 0,8 grapples.

### BMF-6090066630

Aftermarket Fuchs® Tine Pin (Single Bolt Version)

Hardened steel tine pin (Single Bolt Version). Used with BMF-0090066632 & BMF-1007030744. Aftermarket replacement for 6090066630. Used on HDMS 0,4 / 0,6 / 0,8 grapples.



### BMF-0090066632

Aftermarket Fuchs® Tine Pin Cover (Single Bolt Version)

Steel cover used with BMF-6090066630. Aftermarket replacement for 0090066632. Used on HDMS 0,4 / 0,6 / 0,8 grapples.



#### BMF-1007030744

Aftermarket Fuchs® Tine Bolt (long version)

Bolt used to secure BMF-6090066630 tine pin. One bolt used per pin. Aftermarket replacement for 1007030744. Used on HDMS 0,4 / 0,6 / 0,8 grapples.

### BMF-1212341016

Aftermarket Fuchs® Tine Hexagon Nut

Used with BMF-1007030744 tine bolt. Aftermarket replacement for 1212341016. Used on HDMS 0,4 / 0,6 / 0,8 grapples.



#### BMF-0052006003

Aftermarket Fuchs® Upper & Lower Cylinder Pin (L=160 mm)

Hardened steel cylinder pin. Aftermarket replacement for 0052006003. Used on HDMS 0,4 / 0,6 / 0,8 grapples.



#### BMF-5381620439

Aftermarket Fuchs® Clamping Bush

Hardened steel bush. Aftermarket replacement for 5381620439. Used on HDMS 0,4 / 0,6 / 0,8 grapples.



### BMF-5557206032

Aftermarket Fuchs® Tine Bushing

Hardened steel tine bushing. Aftermarket replacement for 5557206032. Used on HDMS 0,4 / 0,6 / 0,8 grapples.





### REPLACEMENT FUCHS® PARTS

### Universal Replacement Parts for Fuchs® cont.

### BMF-5710656326

Aftermarket Fuchs® Rotary Union Seal Kit

Includes x5 two-piece rotary seals, x1 dirt wiper and x2 o-rings. Used on series HDMS 0.4 / 0.6 / 0.8 m<sup>3</sup> grapple rotary unions.

### BMF-5710656371

Aftermarket Fuchs® Motor Seal Kit

Includes x2 energized seals and x2 o-rings. Used on series HDMS 0.4 / 0.6 / 0.8 m<sup>3</sup> grapple motors.



0



Aftermarket Fuchs® Tine Tip

Cast steel weld on tine tip. Hardened, wear resistant steel for maximum wear life. Aftermarket replacement for 5754657800. Fits HDMS 0,4 / 0,6 / 0,8 grapples.



bmfhydraulics.com

19



### REPLACEMENT CAT<sup>®</sup> PARTS

### Model GSH15B, GSH20B & GSH22B CAT® Grapples

### BMF-211-7407

Aftermarket CAT® Grapple Cylinder 100x63x280mm

High strength and rugged cylinder is rated at 5000psi. 100mm bore x 280mm stroke and 63mm diameter rod. Spherical bearings on cylinder and rod ends. Aftermarket replacement for CAT<sup>®</sup> grapple cylinder. 211-7407. Used on GSH15B, GSH20B & GSH22B CAT<sup>®</sup> Orange Peel Grapples.

### BMF-220-3585

Replacement CAT® Grapple Cylinder Barrel Assembly

Painted replacement barrel assembly. Does not include bearing or c-clip. Replacement barrel for BMF aftermarket CAT<sup>®</sup> cylinder PN: BMF-211-7407 only.

### BMF-220-3586

Aftermarket CAT® Grapple Cylinder Piston Rod Assembly

Piston rod assembly. Does not include bearing or c-clip. Replacement for BMF aftermarket CAT<sup>®</sup> cylinder PN: BMF-211-7407 only.

### BMF-220-3587

Replacement D-Ring Kit (supersedes CAT® No. 4C-4784)

Replacement steel piston. Used on cylinder BMF-211-7407.

### O-Ring Replacement Parts for CAT®

### BMF-270-1528

#### Replacement O-Ring Kit (supersedes CAT® No. 4C-4782)

Kit contains 570 nitrile O-rings in the 32 most popular sizes used on Caterpillar<sup>®</sup> equipment. Comes in sturdy plastic box with transparent lid and identification sheet.



### BMF-270-1533

Replacement O-Ring Kit (supersedes CAT® No. 4C-8253)

Kit contains149 silicone O-rings in the 32 most popular sizes used on Caterpillar<sup>®</sup> equipment. Comes in sturdy plastic box with transparent lid and identification sheet.





### BMF-220-3588

Replacement O-Ring Kit (supersedes CAT® No. 4C-8253)

Replacement for BMF aftermarket CAT® cylinder PN: BMF-211-7407 only



### BMF-220-3592

Replacement O-Ring Kit (supersedes CAT® No. 4C-4782)

Replacement for BMF aftermarket CAT<sup>®</sup> cylinder PN: BMF-211-7407. Includes plug, retainer & orifice plate.

### BMF-215-6728

BMF Cylinder Replacement Seal Kit

High pressure replacement seal kit for BMF aftermarket CAT<sup>®</sup> cylinder PN: BMF-211-7407 only. Contains all gland & piston seals, wipers and guide bands. Also includes improved ductile iron piston ring.



### BMF-270-1535

Replacement D-Ring Kit (supersedes CAT® No. 4C-4784)

Kit contains the 9 most popular sized D-Rings used on Caterpillar® equipment. Comes in sturdy, yellow plastic box with identification sheet.





# CONSTRUCTION MACHINERY



### **Bobcat® Cylinders**

### BMF-6539808

Aftermarket Bobcat® Bucket Tilt Cylinder



Weight	Rod	Bore	Stroke
45lbs	1.5in	3.25in	17.5in

Replacement bucket tilt cylinder for Bobcat<sup>®</sup> skid steer. 3.25" bore x 17.87"stroke and 1.50" diameter rod. Fits Bobcat<sup>®</sup> model number 843. Also can replace OEM part number 6592584 and B18257.

### BMF-6586671

Aftermarket Bobcat® Lift Cylinder

Weight	Rod	E
 29.7lbs	1.25in	

 Weight
 Rod
 Bore
 Stroke

 29.7lbs
 1.25in
 2in
 25in

Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steer. 2" bore x 25"stroke and 1.25" diameter rod. Fits Bobcat<sup>®</sup> models 742, 630, 731, 542, 533, 642, 645, 741, 743, 732, 631, 632, 643, 641, 540, 543, 730 & 530 skid steers. Replaces Bobcat<sup>®</sup> cylinders 6586671, 6592962.

### **BMF-6586700**

Aftermarket Bobcat® Grapple Cylinder



Weight	Rod	Bore	Stroke	
16lbs	1.25in	2in	8in	

Aftermarket replacement grapple cylinder for Bobcat<sup>®</sup> attachments. 2.00" bore x 8.00"stroke and 1.25" diameter rod. Cylinder used on Bobcat<sup>®</sup> grapple 66GRPL, and as outrigger stabilizer jackleg on Bobcat<sup>®</sup> stump grinder SG30.

### BMF-6586991

Aftermarket Bobcat® Tilt Cylinder



Weight	Rod	Bore	Stroke
43.6lbs	1.5in	3.25in	18.15in

Aftermarket replacement tilt cylinder for Bobcat<sup>®</sup> skid steer. 3.25" bore x 18.15"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> model 853 skid steer. Replaces Bobcat<sup>®</sup> cylinders 6586991 & 6539075.

### BMF-6597350

Aftermarket Bobcat® Blade Cylinder



Weight	Rod	Bore	Stroke	
53lbs	1.75in	3.5in	7.25in	

Aftermarket replacement blade cylinder for Bobcat<sup>®</sup> mini excavator. 3.5" bore x 7.25"stroke and 1.75" diameter rod. Fits Bobcat<sup>®</sup> model numbers 331 329 and 334 (G) Mini Excavators.

### BMF-6673608

Aftermarket Bobcat® Snow Blade Cylinder



Weight	Rod	Bore	Stroke
14 lbs	1.25in	2in	9.63in

Aftermarket replacement snow blade cylinder for Bobcat<sup>®</sup> skid steers and track loaders. 2" bore x 9.63"stroke and 1.25" diameter rod.

### BMF-6804630

Aftermarket Bobcat® Tilt Cylinder



Weig	ght	Rod	Bore	Stroke
44.6	lbs	1.5in	3.5in	14.5in

Aftermarket replacement bucket-tilt cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 3.5" bore x 14.5"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> model numbers S130, T140, 753, 773, 7753.

### REPLACEMENT BOBCAT® CYLINDERS

### **Bobcat® Cylinders**

### BMF-6804674

Aftermarket Bobcat® Tilt Cylinder 0

Weight	Rod	Bore	Stroke
50.6lbs	1.62in	3.5in	18.19in

Aftermarket replacement bucket-tilt cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 3.5" bore x 18.19"stroke and 1.62" diameter rod. Fits Bobcat<sup>®</sup> model numbers 863, A220, T200.

### BMF-6804692

Aftermarket Bobcat® Tilt Cylinder



Weight	Rod	Bore	Stroke
41.4lbs	1.5in	3.25in	14.5in

Aftermarket replacement bucket-tilt cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 3.25" bore x 14.5"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> model numbers 653,751, 753.

### **BMF-6810611**

Aftermarket Bobcat® Attachment Cylinder



Aftermarket replacement attachment cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. Used on Bob-Tach<sup>®</sup> system. 1-3/4" bore x 6-3/4"stroke and 1" diameter rod. Induction hardened chrome rod & rugged ductile iron gland. Fits Bobcat<sup>®</sup> model numbers S100, S130, S150, S160, S175, S185, S205, S220, S250, S300, S330, T110, T140, T180, T190, T200, T250, T300, T320, 773.

### BMF-6811612

Aftermarket Bobcat® RH Tilt Cylinder



Weight	Rod	Bore	Stroke
41.8lbs	1.625in	2.75in	17.75in

Aftermarket replacement right hand bucket-tilt cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 2.75" bore x 17.75"stroke and 1.625" diameter rod. Fits Bobcat<sup>®</sup> model numbers 873 & 883. Also can replace OEM part number 6805512. Cylinder does not include transfer oil tube.

### BMF-6811614

Aftermarket Bobcat® LH Tilt Cylinder



Aftermarket replacement LH tilt cylinder for Bobcat<sup>®</sup> skid steer. 2.75" bore x 17.75"stroke and 1-5/8" diameter rod. Fits Bobcat<sup>®</sup> models 873 (s/n 514127006-later, 514222393-later, 517911001-later) & 883. Replaces Bobcat<sup>®</sup> cylinders 6811614 & 6805511.

### BMF-6811994

Aftermarket Bobcat® Lift Cylinder



Weight	Rod	Bore	Stroke
42lbs	1.5in	2.25in	27.88

Aftermarket replacement lift/arm cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 2.25" bore x 27.88"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> model number S150, S160, T180, and 763 with serial numbers after 51263000 & 512452000. Replaces OEM part numbers 6811994 & 6809207

### BMF-6811996

Aftermarket Bobcat® Lift Cylinder

	Weight	Rod	Bore	Stroke
ell (o	58lbs	1.5in	2.25in	27.88

Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steer. 2.75" bore x 31"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> models 873 & 883.

Stroke

17.75in



### **Bobcat® Cylinders**

### BMF-6812504

Aftermarket Bobcat® Lift/Arm Cylinder

Weight	Rod	Bore	Stroke
44lbs	1.5in	2.25in	27.88in

Aftermarket replacement lift/arm cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 2.25" bore x 27.88"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> model number 753 & Bobcat<sup>®</sup> model number 763 S/N 512262999 & Below, 512451999 & Below, 512620001 & Above.

### BMF-6812771

Aftermarket Bobcat® Lift Cylinder

Weight	Rod	Bore	Stroke
30lbs	1.25in	2in	21.92in

Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 2" bore x 21.92"stroke and 1.25" diameter rod. Fits Bobcat<sup>®</sup> model numbers MT50, 463 & S70.

### BMF-6817310

Aftermarket Bobcat® Lift Cylinder

Weight	Rod	Bore	Stroke
59.4lbs	1.625in	3.0in	25in

Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steers. 3" bore x 25"stroke and 1.625" diameter rod. Fits Bobcat<sup>®</sup> models S250, S300, T300 & A300 skid steers.

### BMF-7104437

Aftermarket Bobcat® Tilt Cylinder



Aftermarket replacement bucket-tilt cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 3.25" bore x 14.5"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> model numbers 630, 631, 632, 641, 642, 643, 645, 730, 731, 732, 741, 742, 743.

### BMF-7106456

Aftermarket Bobcat® Lift Cylinder



-	Weight	Rod	Bore	Stroke
-0	60.5lbs	1-5/8in	3in	25.5in

**Stroke** 

13-1/8in

Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 3" bore x 25.5"stroke and 1-5/8" diameter rod. Induction hardened chrome rod & rugged ductile iron gland. Fits Bobcat<sup>®</sup> model numbers S250, S300, T300, A300.

### BMF-7117174

Aftermarket Bobcat® Bucket-Tilt Cylinder



Aftermarket replacement bucket-tilt cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 2-3/4" bore x 13-1/8"stroke and 1-3/8" diameter rod. Induction hardened chrome rod & rugged ductile iron gland. Fits Bobcat<sup>®</sup> model numbers 773, S150, S160, S175, S185, S205, T180, T190.

### BMF-7117667

Aftermarket Bobcat® Lift Cylinder

P P	5	Weight	Rod	Bore	Stroke
<u>G</u>		44lbs	1.5in	2.5in	23-13/16in

Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 2.5" bore x 23-13/16"stroke and 1.5" diameter rod. Induction hardened chrome rod & rugged ductile iron gland. Fits Bobcat<sup>®</sup> model numbers 773, S175, S185, S205, T190.

### **Bobcat® Cylinders**

### BMF-7121965

Aftermarket Bobcat® Grapple Or Swing Cylinder



Weight	Rod	Bore	Stroke
18 lbs	1.25in	2.25in	9.6in

Bore

2in

Stroke

26.5in

Stroke

27.5in

Stroke

21.25in

Rod

1.25in

Weight

29.7lbs

Weight

46.2lbs

Weight

Aftermarket replacement grapple/swing cylinder for Bobcat<sup>®</sup> attachments and backhoe. 2.25" bore x 9.63"stroke and 1.25" diameter rod.

### BMF-7142833

Aftermarket Bobcat® Tilt Cylinder

Aftermarket replacement tilt cylinder for Bobcat<sup>®</sup> skid steer. 2" bore x 26.5"stroke and 1.25" diameter rod. Fits Bobcat<sup>®</sup> models 653, 751, 753 skid steers. Replaces Bobcat<sup>®</sup> cylinders 7142833, 6586575 & 6531324.

### BMF-7147447

Aftermarket Bobcat® Bucket Cylinder



WeightRodBoreStroke59.8lbs2in3.25in18.31in

Aftermarket replacement bucket cylinder for Bobcat<sup>®</sup> mini excavator. 3.25" bore x 18.31"stroke and 2.00" diameter rod. Fits Bobcat<sup>®</sup> model numbers 329, 334, 430 Mini Excavators.

### BMF-7148240

Replacement Bobcat® Bucket Cylinder 3.0x23.58-1.75

Weight	Rod	Bore	Stroke
58lbs	1.75in	3.0in	23.62in

**Bore** 

2.25in

Bore

2.75in

Rod

1.5in

Rod

Aftermarket replacement bucket cylinder for Bobcat® mini excavator.

3.00'' bore x 23.62"stroke and 1.75" diameter rod. Fits Bobcat^ model numbers 331.

### BMF-7152121

Aftermarket Bobcat® Lift Cylinder

Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steer.

2.25" bore x 27.5"stroke and 1.5" diameter rod. Fits Bobcat® model S510, S550 & T550 skid steer.

### BMF-7152266

Aftermarket Bobcat® Lift Cylinder

 Ent Cylinder
 50lbs
 1.625in
 2.7

 Replacement lift cylinder for Bobcat® skid steer & track loader.
 50lbs
 1.625in
 2.7

 2.75" bore x 21.25"stroke and 1.63" diameter rod. Fits Bobcat® model numbers S530, S570, S590 & T590.

### BMF-7160395

Aftermarket Bobcat® Attachment Cylinder Skid Steer



Weight	Rod	Bore	Stroke
18lbs	1.00in	1.75in	6.75in

Aftermarket replacement attachment cylinder (7366597) for Bobcat<sup>®</sup> skid steer & compact track loader. Used on Bob-Tach<sup>®</sup> system. 1.75" bore x 6.75"stroke and 1" diameter rod. Fits Bobcat<sup>®</sup> model numbers A300, S150, S160, S175, S185, S205, S220, S250, S300, S330, T140, T180, T190, T200, T250, T300, T320.

### BMF-7165711

Aftermarket Bobcat® Blade Cylinder



Weight	Rod	Bore	Stroke
33.2lbs	1.5in	3in	7-5/8in

Aftermarket replacement blade cylinder for  $\mathsf{Bobcat}^{\circ}$  mini excavator.

3" bore x 7-5/8"stroke and 1.5" diameter rod. Fits Bobcat® models E45, E50, E55 Mini Excavators.

1.00in	1.75in	6.75in	
t track lo	ader. Used	on	



### **Bobcat® Cylinders**

#### **BMF-7166323**

Aftermarket Bobcat® Bucket Cylinder



Weight	Rod	Bore	Stroke
70.15lbs	2in	3.25in	20.63in

Aftermarket replacement bucket cylinder for Bobcat<sup>®</sup> mini excavator.

3.25" bore x 20.63"stroke and 2.00" diameter rod. Fits Bobcat® model numbers E50 , E55 Mini Excavators.

### BMF-7166180

Aftermarket Bobcat® Arm Cylinder

4		Weight	Rod	Bore	Stroke
d	TO.	106lbs	2.25in	3.5in	29.82in

Aftermarket replacement arm cylinder for Bobcat® mini excavator. 3.5" bore x 29.82"stroke and 2.25" diameter rod. Fits Bobcat® Models E50 & E55."

### BMF-7168224

Aftermarket Bobcat® Arm Cylinder



Aftermarket replacement arm cylinder for Bobcat<sup>®</sup> mini excavator. 2.375" bore x 16.75"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> Mini Excavator models 342, E16, E19, E20.

#### BMF-7168435

Replacement Bobcat® Boom Cylinder 2.75x17.49-1.625



Aftermarket replacement boom cylinder for Bobcat<sup>®</sup> mini excavator. 2.75" bore x 17.5"stroke and 1.62" diameter rod. Induction hardened chrome rod & corrosion resistant aluminum gland. Fits Bobcat<sup>®</sup> model numbers 324.

### BMF-7175041

Aftermarket Bobcat® Bucket Cylinder WeightRodBoreStroke55.2lbs1.75in3in20.63in

Aftermarket replacement bucket cylinder for Bobcat® mini excavator. 3.00" bore x 20.63"stroke and 1.75" diameter rod. Fits Bobcat® model numbers E42 , E45 Mini Excavators.

### BMF-7191555

Aftermarket Bobcat® Boom Cylinder



Weight	Rod	Bore	Stroke	
67.2lbs	1-3/4in	3in	26-3/8in	

Aftermarket replacement boom cylinder for Bobcat<sup>®</sup> mini excavator. 3" bore x 26-3/8"stroke and 1-3/4" diameter rod. Induction hardened chrome rod & corrosion resistant aluminum gland. Fits Bobcat<sup>®</sup> model numbers E32, E32i, E35, E35i.

#### **BMF-7197737**

Aftermarket Bobcat® Clamp Cylinder



Weight	Rod	Bore	Stroke
21.6lbs	1.25in	2in	15in

Aftermarket replacement thumb clamp cylinder for Bobcat® mini excavator. 2" bore x 15"stroke and 1.25" diameter rod. Fits Bobcat® model E26 Mini Excavator.

### **Bobcat® Cylinders**

### **BMF-7199435**

Aftermarket Bobcat® Clamp Cylinder



Weight	Rod	Bore	Stroke
23.1lbs	1.25in	2.25in	15in

Aftermarket replacement thumb clamp cylinder for Bobcat<sup>®</sup> mini excavator. 2.25" bore x 15"stroke and 1.25" diameter rod. Fits Bobcat<sup>®</sup> model E32 Mini Excavator.

### BMF-7201732

Replacement Bobcat® Blade Cylinder 3.75x7.69-2.0



Weight	Rod	Bore	Stroke	
55 lbs	2.0in	3.75in	7.62in	

**Bore** 

1.5in

Stroke

6.22in

Rod

1.0in

Aftermarket replacement blade cylinder for Bobcat® mini excavator. 3.75" bore x 7.62"stroke and 2.00" diameter rod.

### BMF-7203494

Aftermarket Bobcat® Lift Cylinder



Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 3" bore x 26"stroke and 1.75" diameter rod. Fits Bobcat<sup>®</sup> model numbers A770, S750, S770, T750 and T770.

### BMF-7208419

Aftermarket Bobcat® Bucket-Tilt Cylinder



Weight	Rod	Bore	Stroke
39lbs	1.5in	3in	15in

Aftermarket replacement bucket-tilt cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 3" bore x 15"stroke and 1.5" diameter rod. Induction hardened chrome rod & rugged ductile iron gland. Fits Bobcat<sup>®</sup> model numbers S220, S250, S300, S330, T250, T300, T320.

### **BMF-7212595**

Aftermarket Bobcat® Grapple Cylinder



Weight	Rod	Bore	Stroke
20.7lbs	1.25in	2.5in	8in

Aftermarket replacement attachment cylinder for Bobcat<sup>®</sup> brand industrial & root grapple. 2.5" bore x 8"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> Grapple (Ind Grapple Bkt 62" AFOS, 68" AFOR, 74" AFOH, 80" AFOP) (Ind Grpl Fork 66 AFOU, 78 AEDF) (Root Grpl 66 AFOT, 72 AE6H, 82 AFON)

### BMF-7235736

Aftermarket Bobcat® (right) Tilt Cylinder



Weight	Rod	Bore	Stroke
41.4lbs	1.5in	3in	13.75in

Aftermarket replacement (right) bucket-tilt cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 3.00" bore x 13.75"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> model numbers S630, S650, S750, S770, T630, T650, T750, T770.

### BMF-7235738

Aftermarket Bobcat® (left) Tilt Cylinder

	Weight	Rod	Bore
10	41.4lbs	1.5in	3in

Aftermarket replacement (left) bucket-tilt cylinder for Bobcat<sup>®</sup> skid steer & compact track loader. 3.00" bore x 13.75"stroke and 1.5" diameter rod. Fits Bobcat<sup>®</sup> model numbers S630, S650, S750, S770, T630, T650, T750, T770.

Stroke

13.75in



### AFTERMARKET BOBCAT<sup>®</sup> CYLINDERS

### Bobcat<sup>®</sup> Cylinders

### BMF-7245374

Aftermarket Bobcat® Lift Cylinder

Weight	Rod	Bore	Stroke
82lbs	2in	3.25in	26in

Bore

2.5in

**Bore** 

2.50in

Stroke

31.22in

**Stroke** 

33.87in

Aftermarket replacement lift cylinder for Bobcat® skid steer & compact track loader.

3.25" bore x 26"stroke and 2" diameter rod. Fits Bobcat® model numbers A770, S740, S750, S770, T740,T750 and T770.

### **BMF-7250302**

Aftermarket Bobcat® Lift Cylinder

Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steer & compact

track loader. 2.5" bore x 31.22"stroke and 1.75" diameter rod. Fits Bobcat® model numbers S630 and T630.

### **BMF-7256068**

Aftermarket Bobcat® **Cushioned Lift Cylinder** 

Replacement (cushioned) lift cylinder for Bobcat® skid steer & track load

2.75" bore x 21.25"stroke and 1.63" diameter rod. Fits Bobcat® model numbers S530, S570, S590, T590.

### **BMF-7256566**

Aftermarket Bobcat® Lift Cylinder

Aftermarket replacement lift cylinder for Bobcat<sup>®</sup> skid steer.

2.50" bore x 33.87"stroke and 1.75" diameter rod. Fits Bobcat® model number S360 skid steer.

### **BMF-7306075**

Aftermarket Bobcat® **Thumb Cylinder** 

Aftermarket replacement thumb clamp cylinder for Bobcat<sup>®</sup> attachment. 3.25" bore x 26"stroke and 2" diameter rod. Fits on Mini Excavator models E85 and E88

### **BMF-7338638**

Aftermarket Bobcat® **Tilt Cylinder** 

05				
	Weight	Rod	Bore	Stroke
	32lbs	1.5in	2.75in	12.88in

Aftermarket replacement bucket-tilt cylinder for Bobcat® skid steer & compact track loader. 2.75" bore x 12.88"stroke and 1.5" diameter rod. Fits Bobcat® model numbers S530, S570, S590, T590,S510, S550, S595, T550, T595.

### **BMF-7362530**

Aftermarket Bobcat® Power "Bob-Tach" Cylinder

Weight	Rod	Bore	Stroke
12.1lbs	1.0in	1.5in	6.22in

Previous part number was 7307224. This part is the direct replacement. Aftermarket replacement Bobcat® Power "Bob-Tach" Cylinder used on skid steer & track loaders. 1.5" bore x 6.22"stroke and 1.0" diameter rod. Fits Bobcat® models S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850, T450, T550, T590, T595, T630, T650, T740, T750, T770 & T870.

### BMF-7365351

Aftermarket Bobcat® Power "Bob-Tach" Cylinder

Weight	Rod	Bore	Stroke
12.1lbs	1.0in	1.75in	6.22in

Previous part number was 7227463. This part is the direct replacement. Aftermarket replacement Bobcat® Power "Bob-Tach" Cylinder used on skid steer & track loaders. 1.75" bore x 6.22"stroke and 1.0" diameter rod. Fits Bobcat® models S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850, T450, T550, T590, T595, T630, T650, T740, T750, T770, T870.

	Weight	Rod	Bore	Stroke
oader	50lbs	1.65in	2.75in	21.25in

Rod

1.75in

Rod

1.75in

Weight

80lbs

Weight

	Weight	Rod	Bore	Stroke
der.	50lbs	1.65in	2.75in	21.25in
aer.				



Weight	Rod	Bore	Stroke			
45lbs	2in	3 25in	26in			

### AFTERMARKET KUBOTA® CYLINDERS

### Skid Steers / Wheel Loader / Mini Excavator

### BMF-V0631-74100

Aftermarket Kubota® LH Bucket Tilt Cylinder



Weight	Rod	Bore	Stroke
49.5lbs	40mm	70mm	387mm

Aftermarket LH bucket tilt cylinder for Kubota<sup>®</sup> skid steer loader. 70mm bore x 387mm stroke and 40mm diameter rod. Fits Kubota<sup>®</sup> model numbers SVL95-2S & SVL95-2SC.

### BMF-V0631-74200

Aftermarket Kubota® RH Bucket Tilt Cylinder

Weight	Rod	Bore	Stroke
49.5lbs	40mm	70mm	387mm

Aftermarket RH bucket tilt cylinder for Kubota<sup>®</sup> skid steer loader. 70mm bore x 387mm stroke and 40mm diameter rod. Fits Kubota<sup>®</sup> model numbers SVL95-2S & SVL95-2SC.

### BMF-V0611-73100-73200

Aftermarket Kubota® Universal Boom Lift Cylinder



Aftermarket replacement universal boom lift cylinder for Kubota<sup>®</sup> skid steer & compact track loader. 75mm bore x 775mm stroke and 45mm diameter rod. Fits Kubota<sup>®</sup> models SVL90, SVL90-2, SVL90-2C, SVL90C, SVL95-2S & SVL95-2SC skid steers.





### Cat<sup>®</sup> Skid Steers / Wheel Loaders

#### BMF-293-5711

Aftermarket CAT® RH Tilt Cylinder



Weight	Rod	Bore	Stroke
37.4lbs	35mm	75mm	392mm

Aftermarket RH tilt cylinder for CAT<sup>®</sup> skid steer loader. 75mm bore x 392mm stroke and 35mm diameter rod. Fits CAT<sup>®</sup> model numbers 246D, 256C, 262C, 262C2, 262D, 272C, 272, 277C, 279C, 279C, 279C2, 287C, 287C2, 289C, 289C2, 297C, 299C, 299D, 246C, 272DC, 277C2, 279S, 287D, 289D, 297D2 & 299D2.

### BMF-293-5712

Aftermarket CAT® LH Tilt Cylinder



Weight	Rod	Bore	Stroke
37.4lbs	35mm	75mm	392mm

Aftermarket LH tilt cylinder for CAT<sup>®</sup> skid steer loader. 75mm bore x 392mm stroke and 35mm diameter rod. Fits CAT<sup>®</sup> model numbers 246D, 256C, 262C, 262C2, 262D, 272C, 272, 277C, 279C, 279C, 279C2, 287C, 287C2, 289C, 289C2, 297C, 299C, 299D, 246C, 272DC, 277C2, 279S, 287D, 289D, 297D2 & 299D2.

### BMF-293-6264

Aftermarket CAT® Bucket Cylinder



Weight	Rod	Bore	Stroke
15 lbs	30mm	50mm	225mm

Aftermarket bucket cylinder for CAT<sup>®</sup> skid steer loader. 50mm bore x 225mm stroke and 30mm diameter rod. Fits CAT<sup>®</sup> model numbers 904B 904H, 216 216B 216B3 226 226B 226B3 228 232 232B 236 236B 236B3 236D 242 242B 242B3 242D 246 246B 246C 246D 247 247B 247B3 248 248B 252 252B 252B3 256C 257 257B 257B3 257D 259B3 259D 262 262B 262C 262C2 262D 267 267B 268B 272C 272D 272D XHP 272D2 272D2 XHP 277 277B 277C 277C2 277D 279C 279C2 279D 287 287B 287C 287C2 287D 289C 289C 289D 297C 297D 297D XHP 297D2 297D2 XHP 299C 299D 299D XHP 299D2 299D2 XHP

### BMF-378-7963

Aftermarket CAT® RH Bucket Tilt Cylinder



Weight	Rod	Bore	Stroke
37lbs	35mm	70mm	353mm

Aftermarket RH bucket tilt cylinder for CAT<sup>®</sup> skid steer loader. 70mm bore x 353mm stroke and 35mm diameter rod. Fits CAT<sup>®</sup> model numbers 236D3 236D 242D 242D3 257D 257D3 259D 259D3

### BMF-378-7964

Aftermarket CAT® LH ucket Tilt Cylinder



Weight	Rod	Bore	Stroke
37lbs	35mm	70mm	353mm

Aftermarket LH bucket tilt cylinder for CAT<sup>®</sup> skid steer loader. 70mm bore x 353mm stroke and 35mm diameter rod. Fits CAT<sup>®</sup> model numbers 236D3 236D 242D 242D3 257D 257D3 259D 259D3

### BMF-562-2800

Aftermarket CAT® Bucket Cylinder

P	Weight	Rod	Bore	Stroke
	21bs	30mm	60mm	200mm

Aftermarket bucket cylinder for CAT<sup>®</sup> skid steer loader. 60mm bore x 200mm stroke and 30mm diameter rod. Fits CAT<sup>®</sup> model numbers 904B-904H, 246 236 248 216B 216B3 226B 226B3 232B 236B 236B3 236D 242B 242B3 242D 246C 246D 247B 247B3 248B 252 252B 252B3 256C 257B 257B3 257D 259B3 259D 262 262C 262C2 262D 267B 268B 272C 272D 272D XHP 272D2 272D XHP 277D 277C 277C2 277D 279C 279C2 279D 287 287B 287C 287C2 287D 289C 289C2 289D 297C 297D 297D XHP 297D2 297D2 XHP 299C 299D XHP 299D2 299D2 XHP and TH255C

### AFTERMARKET TAKEUCHI® CYLINDERS

### Takeuchi® Lift, Hitch, Thumb, Boom Cylinders

### BMF-1900132400

Aftermarket Takeuchi® Hitch Cylinder

	P	***	Weight	Rod
0			25.08lbs	25mm

Weight	Rod	Bore	Stroke
25.08lbs	25mm	40mm	175mm

Aftermarket replacement quick attach hitch cylinder for Takeuchi<sup>®</sup> skid steer. 40mm bore x 175mm stroke and 25mm diameter rod. Fits Takeuchi<sup>®</sup> models TL6R, TL10 (CR), TL10 (CRH), TL12, TL12 (CR), TL12 (CRH), TL12R2 (CRH), TL230, TL230 (A), TL240, TL240 (CR), TL240 (CRH), TL250, TL250 (CR), TL250 (CRH). Replaces Takeuchi<sup>®</sup> cylinders 1900132400, 1900120500 & 1900100700.

#### **BMF-1900002400**

Aftermarket Takeuchi® Thumb Cylinder

Weight	Rod	Bore	Stroke
39.6lbs	1.5in	2.25in	6.22in

Aftermarket replacement thumb cylinder for Takeuchi<sup>®</sup> mini excavator. 2.25" bore x 21.46" stroke and 1.50" diameter rod. Fits Takeuchi<sup>®</sup> models TB135, TB138 & TB235.

### BMF-1900002900

Aftermarket Takeuchi® Thumb Cylinder



Weight	Rod	Bore	Stroke
63.8lbs	1.75in	3 in	27.26in

Aftermarket replacement thumb cylinder for Takeuchi<sup>®</sup> mini excavator. 3.00" bore x 27.26" stroke and 1.75" diameter rod. Fits Takeuchi<sup>®</sup> models TB280FR & TB290.

### BMF-1900081800

Aftermarket Takeuchi® Lift Cylinder



Weight	Rod	Bore	Stroke
44lbs	40mm	65mm	475mm

Aftermarket replacement boom lift arm cylinder for Takeuchi® mini excavator. 65mm bore x 704mm stroke and 40mm diameter rod. Fits Takeuchi ® model TL130.

### BMF-1900112800

Aftermarket Takeuchi® Boom Cylinder

Aftermarket Boom cylinder for Takeuchi<sup>®</sup> mini excavator. 100mm bore x 710mm stroke and 60mm diameter rod. Fits Takeuchi<sup>®</sup> model number TB260.

#### BMF-1900124500

Aftermarket Takeuchi® Lift Cylinder



Weight

149lbs

Aftermarket lift cylinder for Takeuchi<sup>®</sup> track loader. 65mm bore x 610mm stroke and 40mm diameter rod. Fits Takeuchi<sup>®</sup> model number TL6R.

Rod	Bore	Stroke
60mm	100mm	710mm



### Takeuchi<sup>®</sup> Bucket Cylinders

### BMF-1900120300

Aftermarket Takeuchi® **Bucket LH** 

Replacement LH bucket cylinder for Takeuchi® skid steer. 75mm bore x 540mm stroke and 45mm diameter rod. Fits Takeuchi® model number TL12V2.

### BMF-1900120400

Aftermarket Takeuchi® Bucket RH

Replacement RH bucket cylinder for Takeuchi® skid steer. 75mm bore x 540mm stroke and 45mm diameter rod. Fits Takeuchi<sup>®</sup> model number TL12V2.

### **BMF-1900120700**

Aftermarket Takeuchi® **Bucket LH** 

Aftermarket replacement LH 470mm bore x 470mm stroke

### **BMF-1900120800**

#### Aftermarket Takeuchi® Bucket RH

Aftermarket replacement RH bucket tilt cylinder for Takeuchi® skid loader. 70mm bore x 470mm stroke and 40mm diameter rod.

### BMF-1900124300

Aftermarket Takeuchi® **Bucket RH** 

Aftermarket replacement RH bucket tilt cylinder for Takeuchi® skid loader. 65mm bore x 443.8mm stroke and 35mm diameter rod. Fits Takeuchi® mode

### BMF-1900124400

Aftermarket Takeuchi® **Bucket LH** 

45lbs Aftermarket replacement LH bucket tilt cylinder for Takeuchi® skid loader. 65mm bore x 443.8mm stroke and 35mm diameter rod. Fits Takeuchi<sup>®</sup> model number TL6R.

### BMF-1900132000

Aftermarket Takeuchi® Bucket LH Cylinder



Weight	Rod	Bore	Stroke
44lbs	35mm	65mm	475mm

65mm

443.8mm

Aftermarket replacement LH bucket tilt cylinder for Takeuchi<sup>®</sup> skid loader. 65mm bore x 475mm stroke and 35mm diameter rod. Fits Takeuchi ® models TL8, TL130 & TL230. Replaces Takeuchi® cylinders 1900081400 & 1900132000.

### BMF-1900132100

Aftermarket Takeuchi® **Bucket RH Cylinder** 



Weight	Rod	Bore	Stroke
44lbs	35mm	65mm	475mm

Aftermarket replacement RH bucket tilt cylinder for Takeuchi® skid loader. 65mm bore x 475mm stroke and 35mm diameter rod. Fits Takeuchi 
<sup>o</sup> models TL8, TL130 & TL230. Replaces Takeuchi 
<sup>o</sup> cylinders 1900081300 & 1900132100

Weight	Rod	Bore	Stroke
70bs	45mm	75mm	540mm

Bore

75mm

Stroke

540mm

Rod

45mm

Weight

70bs

Weight	Rod	Bore	Stroke
60lbs	40mm	70mm	470in

Weight	Rod	Bore	Stroke
60lbs	mm	70mm	470mm

Weight	Rod	Bore	Stroke
45lbs	35mm	65mm	443.8mm

bucket tilt cylinder for Takeuchi <sup>®</sup> skid loader. e and 40mm diameter rod.

-		
-	and the second sec	

	Weight	Rod	Bore	Stroke		
el r	el number TL6R.					

35mm

Weight	Rod	Bore	Stroke
44lbs	35mm	65mm	475mm



### AFTERMARKET CASE® CYLINDERS

### Aftermarket Case® Cylinders

### **BMF-118110A1**

Aftermarket Case® Tilt Cylinder



Weight	Rod	Bore	Stroke
28.6lbs	1.25in	2.5in	15.83in

Replacement bucket tilt cylinder for Case IH<sup>®</sup> skid steer & compact track loader. 2.50" bore x 21.26"stroke and 1.25" diameter rod. Fits Case<sup>®</sup> model numbers 1835, 1835B, 1835C, 1838 & 1840. Also can replace OEM part number G103407 and 276126A1. Serial number info; 1830 - 9845302 & after.

### BMF-118156A1

Aftermarket Case® Tilt Cylinder



Weight	Rod	Bore	Stroke
36.3lbs	1.25in	2.5in	21.26in

Bore

5.00in

Stroke

20.33in

Replacement bucket tilt cylinder for Case IH<sup>®</sup> skid steer & compact track loader. 2.50" bore x 21.26"stroke and 1.25" diameter rod. Fits Case<sup>®</sup> model numbers 1845, 1845B, 1845C & 1845S. Also can replace OEM part number G34926.

### BMF-177256A1

Aftermarket Case® Universal Stabilizer Cylinder



Aftermarket Universal stabilizer cylinder used on Case<sup>®</sup> backhoe. 5.00" bore x 20.33"stroke and 2.25" diameter rod. Fits Case<sup>®</sup> model numbers 590 Turbo, 590 Super L & 590 Super M -Used for Left & Right Hand.

### BMF-G110672

Aftermarket Case® Stabilizer Cylinder



Weight	Rod	Bore	Stroke
113lbs	2in	4.25in	21-3/8in

Aftermarket stabilizer cylinder for Case<sup>®</sup> loader-backhoe. 4.25" bore x 21-3/8" stroke and 2.00" diameter rod. Fits Case<sup>®</sup> model number 580K. Works on either right or left hand side. Interchanges with Part # G110672 and G110673.

### BMF-117824A1

Aftermarket Case® Tilt Cylinder

Weight	Rod	Bore	Stroke
60lbs	2.25in	5in	20.33in

Aftermarket lift cylinder for Case<sup>®</sup> skid steer. 2.50" bore x 26.75" stroke and 1.50" diameter rod. Fits Case<sup>®</sup> model numbers 1835B, 1835C, 1838, 1840. Interchanges with Part # G106818, G110666 and 27615A1.

### BMF-G106168

Aftermarket Case® Boom Cylinder

Weight	Rod	Bore	Stroke
110 lbs	1.75in	3.25in	41.88in

Replacement boom cylinder for Case<sup>®</sup> backhoe. 3.25" bore x 42"stroke and 1.75" diameter rod. Fits Case<sup>®</sup> model numbers 1580B, 580C, 580D, 580E, and 580 Super E. Also can replace OEM part number G109339 and G101177.

### BMF-234447A1

Aftermarket Case® Power Steering Cylinder (D128454)



Weight	Rod	Bore	Stroke
4.5 lbs	0.75in	1.50in	6.42in

Replacement power steering cylinder for Case<sup>®</sup> loader backhoe. 1.5" bore x 6.4"stroke and 0.75" diameter rod. Fits Case<sup>®</sup> model numbers 80B, 480C, 480D, 480E, 480F, 480LL, 580B, 580C, 580D, 580F, 580SD, 580SE, 584C, 584D, 584E, 585C, 585D, 585E, 586C, 586D, 586E, 586G.

### BMF-G109434

Aftermarket Case® Backhoe Bucket Cylinder



Aftermarket replacement bucket cylinder for Case<sup>®</sup> backhoe. 3.5" bore x 30.5"stroke and 2.5" diameter rod. Fits Case<sup>®</sup> models 580B, 580C, 580D, 580 Super D, 580E, 580 Super E. Will not fit a Case<sup>®</sup> 580CK. Replaces OEM cylinder G109433 or G109434.

# AGRICULTURE MACHINERY

and Charlester

### AFTERMARKET JOHN DEERE® CYLINDERS

### Aftermarket John Deere® Cylinders

BMF-AH176383		Weight	Rod	Bore	Stroke
Swing Cylinder	U.	21lbs	32mm	50mm	537mm

Replacement John Deere® unloading cylinder. Replaces part numbers: AH176383, AH145030, AH166484 & AH142164.

### BMF-AH236427

**Unload Swing Cylinder** 

Weight	Rod	Bore	Stroke
25lbs	32mm	50mm	697mm

Replacement John Deere® unload swing cylinder. Replaces part numbers: AH176382, AH174432 & AH236427.

### BMF-AH166921

**Header Lift Cylinder** 



Weight	Rod	Bore	Stroke
78lbs	70mm	80mm	586mm

Replacement John Deere® header lift cylinder. Replaces part number AH166921.

#### **BMF-AH211851**

Aftermarket John Deere® Dozer Blade Angle Cylinder

Weight	Rod	Bore	Stroke
49lbs	45mm	70mm	405mm

Aftermarket replacement blade angle cylinder for John Deere® Dozer. 70mm bore x 405mm stroke and 45mm diameter rod. Fits John Deere® models 550H (s/n 925556-later), 550J (s/n 159986-earlier), 650H (s/n 925556-later) & 650J (s/n 159986-earlier). Includes installed spherical bearings and snap rings.

## AFTERMARKET CASE® CYLINDERS

### Aftermarket Case® Cylinders

### BMF-87728497

Feeder House Lift Cylinder



,	Weight	Rod	Bore	Stroke	
	99lbs	90mm	100mm	525mm	

Replacement Case IH® feeder house lift cylinder. Replaces part number 87728497

# ROLL OFF CONTAINER PARTS

G\*Ibreath

m

### Aftermarket Galbreth® Cylinders

### **BMF-A3091**

Aftermarket Galbreth® Stinger Tail Roll Off Cylinder

Aftermarket replacement cylinder used on Galbreath® Hydraulic extendable tail roll off hoists. Also can replace OEM part numbers 1141039, G1-A3091, 3074 & A5735.

Weight	Rod	Bore	Stroke
189lbs	2.5in	3.5in	80in

### AFTERMARKET PIONEER® CYLINDERS

### Aftermarket Pioneer® Cylinders

### **BMF-HR4520**

Aftermarket Pioneer® Gantry Cylinder - 36" Stroke

Aftermarket replacement gantry cylinder for Pioneer<sup>®</sup> Strong Arm Rack n' Pinion Systems tarp assemblies RP4500, HR1500PTO & HR1500H. Cylinder has 36" stroke.

### **BMF-HR4719**

Aftermarket Pioneer® Rack Gear Cylinder - 16" Stroke

Aftermarket replacement rack gear cylinder for Pioneer<sup>®</sup> tarp assemblies RP4500SAR, RP4500SARG. Cylinder has 16" stroke.

### **BMF-HR4752**

Aftermarket Pioneer® Strong Arm Cylinder - 36" Stroke

Aftermarket replacement arm extension cylinder for Pioneer<sup>®</sup> tarp assemblies RP4500SAR & RP4500SARG. Cylinder has 36" stroke.

### BMF-3431

Replacement end container hook for 7/8th inch cable.

### SOLD IN CRATE OF 25

Standard industry designed, high strength forged steel cable hook. Can be used on any make or model of roll-off that uses a 7/8" reeving cable.

Cross Reference: 3431, 0651403, 115106, 3120, PP341, M1009A, 1105786, 41001435









489 McLaws Circle, Ste 2 Williamsburg, VA 23185 Phone: 1-844-468-3491 Email: sales@bmfhydraulics.com Web: bmfhydraulics.com

BMF Hydraulics Inc. manufactures custom hydraulic cylinders and related mechanical components. We have extensive experience producing the highest quality cylinders and replacement parts for many demanding industrial applications such as: construction, material handling, waste & refuse, steel recycling, agriculture and mining.

With both US East and West coast warehouse facilities, we offer our customers localized inventory solutions to help deliver their critical components when they need them.

BMF Hydraulics also has knowledgeable project managers and dedicated sales staff to help guide you through the buying process and get you the right part in a timely manner to get your equipment back up and running!

All equipment manufacturer's names, part numbers, and descriptions are used for reference purposes only. All pictures shown are for illustration purpose only, actual product may vary. Paint color may differ from OEM.

